

OB1 Grip & Grab Adhesive Replaces: 01.08.2022
Date: 23.02.2023 Ref: 0406.3.BB/DL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 GRIP & GRAB ADHESIVE WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland NPIC - National Poison Information Centre

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

United Kingdom - BE Page 1 / 15

Date: 23.02.2023 Ref: 0406.3.BB/DL

Replaces: 01.08.2022

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

OB1 Grip & Grab Adhesive

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1- <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	-	01-2119963926- 21-xxxx
Dioctyltin oxide	212-791-1	870-08-6	0.1- <1	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 2/15

OB1 Grip & Grab Adhesive

Date: 23.02.2023 Ref: 0406.3.BB/DL

SECTION 4: First aid measures

4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance. If medical advice is needed, **General advice**

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and

water.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

Replaces: 01.08.2022

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by Note to doctors

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. **Suitable Extinguishing Media**

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon **Hazardous combustion products**

dioxide.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

United Kingdom - BE Page 3 / 15

OB1 Grip & Grab Adhesive Date: 23.02.2023

Date: 23.02.2023 Ref: 0406.3.BB/DL

Replaces: 01.08.2022

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

Chemical name	European Union	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Dioctyltin oxide	-	TWA: 0.1 mg/m ³
870-08-6		STEL: 0.2 mg/m ³
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

United Kingdom - BE Page 4 / 15

OB1 Grip & Grab Adhesive Date: 23.02.2023

Replaces: 01.08.2022 Ref: 0406.3.BB/DL

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-0)	2-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	35.5 mg/m³			
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	12 mg/m³			
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d			

Dioctyltin oxide (870-08-6)					
Туре	Exposure route	Derived No Effect Level	Safety factor		
		(DNEL)			
worker	Dermal	0.05 mg/kg bw/d			
Long term					
Systemic health effects					
worker	Inhalation	0.004 mg/m ³			
Long term					
Systemic health effects					

Derived No Effect Level (DN	Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768	-02-7)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³				
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d				
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d				

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Type	Exposure route	Derived No Effect Level	Safety factor	

United Kingdom - BE Page 5/15

OB1 Grip & Grab Adhesive Date: 23.02.2023

Replaces: 01.08.2022 Ref: 0406.3.BB/DL

		(DNEL)	
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m ³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m ³			
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d			

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.34 mg/l			
Marine water	0.034 mg/l			
Microorganisms in sewage treatment	110 mg/l			

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.0062 mg/l			
Sewage treatment plant	25 mg/l			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.062 mg/l		
Marine water	0.006 mg/l		
Sewage treatment plant	25 mg/l		
Freshwater sediment	0.24 mg/kg dry weight		
Marine sediment	0.024 mg/kg dry weight		

United Kingdom - BE Page 6 / 15

OB1 Grip & Grab Adhesive

Date: 23.02.2023 Ref: 0406.3.BB/DL

Soil	0.01 mg/kg dry weight

Dioctyltin oxide (870-08-6)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater sediment	0.02798 mg/kg dry weight			
Marine sediment	0.002798 mg/kg dry weight			
Microorganisms in sewage treatment	100 mg/l			

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

None known

Replaces: 01.08.2022

gloves. Gloves must conform to standard EN 374

Skin and body protection None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator Respiratory protection

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste

Colour See section 1 for more information

Odour Characteristic.

No information available **Odour threshold**

Values_ Remarks • Method Property

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

> 60 °C Flash point

Autoignition temperature No data available None known **Decomposition temperature** None known

No data available pH (as aqueous solution)

Kinematic viscosity $> 21 \text{ mm}^2/\text{s}$ **Dvnamic viscosity** No data available

Water solubility No data available. Product cures with

moisture

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density No data available

United Kingdom - BE Page 7 / 15

OB1 Grip & Grab Adhesive Date: 23.02.2023

Replaces: 01.08.2022

Ref: 0406.3.BB/DL

Liquid Density 1.54

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

products curin

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 15

OB1 Grip & Grab Adhesive Date: 23.02.2023

Date: 23.02.2023 Ref: 0406.3.BB/DL

Replaces: 01.08.2022

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 592.0223 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)	
	(Rattus) OECD 401	cuniculus)	OECD TG 403	
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44	
ylenediamine			mg/L air	
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rat) 4 h	
pyl]-ethylenediamine	(OECD 401)	cuniculus)		
		(OECD 402)		
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-	
		OECD 402		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit				Eye Damage
Acute Eye					

United Kingdom - BE Page 9 / 15

OB1 Grip & Grab Adhesive Replaces: 01.08.2022
Date: 23.02.2023 Ref: 0406.3.BB/DL

Irritation/Corrosion			

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		Sensitizing
Sensitisation			

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

United Kingdom - BE Page 10 / 15

OB1 Grip & Grab Adhesive Replaces: 01.08.2022
Date: 23.02.2023 Ref: 0406.3.BB/DL

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		
Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)		
870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l		
	(bacteria)	(Brachydanio		(Daphnia magna		
	(Activated	rerio (zebra))		(Dappnia		
	Sludge,	(Acute Toxicity		magna))		
	Respiration	Test)		(Daphnia sp.		
	Inhibition Test)			Acute		
				Immobilisation		
				Test)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
Motrica	Exposure time	raido	i toodito

United Kingdom - BE Page 11 / 15

OB1 Grip & Grab Adhesive Replaces: 01.08.2022
Date: 23.02.2023 Ref: 0406.3.BB/DL

OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
Dioctyltin oxide	6

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment		
Trimethoxyvinylsilane	The substance is not PBT / vPvB		
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB		
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine	The substance is not PBT / vPvB		
Dioctyltin oxide	The substance is not PBT / vPvB		

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

United Kingdom - BE Page 12/15

OB1 Grip & Grab Adhesive Replaces: 01.08.2022
Date: 23.02.2023 Ref: 0406.3.BB/DL

14.6 Special Provisions None

IMDG

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated

14.5 Marine pollutantNP14.6 Special ProvisionsNone

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Anne Number	
Dioctvltin oxide	1.1	

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

United Kingdom - BE Page 13/15

OB1 Grip & Grab Adhesive Replaces: 01.08.2022

Date: 23.02.2023 Ref: 0406.3.BB/DL

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 01-Sep-2022

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaime

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of

United Kingdom - BE Page 14/15

 OB1 Grip & Grab Adhesive
 Replaces: 01.08.2022

 Date: 23.02.2023
 Ref: 0406.3.BB/DL

its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15 / 15